

globotriaosylceramide 3-β-N-acetylgalactosaminyltransferase

Cat. No. EXWM-2619

Lot. No. (See product label)

Introduction

Description Globoside is a neutral glycosphingolipid in human erythrocytes and has blood-group-P-antigen activity.

The enzyme requires a divalent cation for activity, with Mn2+ required for maximal activity. UDP-GalNAc is the only sugar donor that is used efficiently by the enzyme: UDP-Gal and UDP-GlcNAc result in very low enzyme activity. Lactosylceramide, globoside and gangliosides GM3 and GD3 are not substrates. For

explanation of the superscripted '3' in the systematic name, see GL-5.3.4.

Synonyms uridine diphosphoacetylgalactosamine-galactosylgalactosylglucosylceramide

acetylgalactosaminyltransferase; globoside synthetase; UDP-N-

acetylgalactosamine:globotriaosylceramide $\beta\text{-}3\text{-}N\text{-}acetylgalactosaminyltransferase};$ galactosylgalactosylglucosylceramide $\beta\text{-}D\text{-}acetylgalactosaminyltransferase};$ UDP-N-

acetylgalactosamine:globotriaosylceramide β 1,3-N-acetylgalactosaminyltransferase; globoside synthase; gUDP-N-acetyl-D-galactosamine:D-galactosyl-1,4-D-galactosyl-1,4-D-glucosylceramide β -N-acetyl-D-galactosaminyltransferase; β 3GalNAc-T1; UDP-N-acetyl-D-galactosamine: α -D-galactosyl-(1 \rightarrow 4)- β -D-glucosylceramide 3III- β -N-acetyl-D-galactosaminyltransferase; UDP-N-acetyl-D-galactosamine: α -D-galactosyl-(1 \rightarrow 4)- β -D-galactosyl-(1 \rightarrow 4

glucosyl-(1↔1)-ceramide III3-β-N-acetyl-D-galactosaminyltransferase

Product Information

Form Liquid or lyophilized powder

EC Number EC 2.4.1.79

CAS No. 62213-46-1

 $\textbf{\textit{Reaction}} \qquad \text{UDP-N-acetyl-} \alpha - D - galactosamine + \alpha - D - galactosyl- (1 \rightarrow 4) - \beta - D - galactosyl- (1 \rightarrow 4) - D - Galactosyl- (1 \rightarrow 4$

 $ceramide = UDP + N-acetyl-\beta-D-galactosaminyl-(1\rightarrow 3)-\alpha-D-galactosyl-(1\rightarrow 4)-\beta-D-galactosyl-(1\rightarrow 4)-\beta-D-galactos$

glucosyl-(1↔1)-ceramide

Notes This item requires custom production and lead time is between 5-9 weeks. We can custom produce

according to your specifications.

Storage and Shipping Information

Storage Store it at +4 °C for short term. For long term storage, store it at -20 °C \sim -80 °C.

 1/1