

## **Native Human Myeloperoxidase Isoform C**

Cat. No. NATE-0461

Lot. No. (See product label)

## Introduction

**Description** Myeloperoxidase (MPO) is a peroxidase enzyme that in humans is encoded by the MPO gene on

chromosome 17. MPO is most abundantly expressed in neutrophil granulocytes (a subtype of white blood cells), and produces hypohalous acids to carry out their antimicrobial activity. It is a lysosomal protein stored in azurophilic granules of the neutrophil and released into the extracellular space during degranulation. MPO has a heme pigment, which causes its green color in secretions rich in neutrophils,

such as pus and some forms of mucus.

Applications Protein Cystalline Research

**Synonyms** MPOC; MPO C; Myeloperoxidase Isoform C; EC 1.11.1.7; 9003-99-0

## **Product Information**

**Species** Human

**Source** Human Neutrophils

**Form** Liquid

**EC Number** EC 1.11.1.7

*CAS No.* 9003-99-0

Molecular

146 kDa

Weight

**Purity** > 96% (SDS-PAGE)

**Activity** Typically > 1,000 U/mg protein

Pathway C-MYB transcription factor network, organism-specific biosystem; Folate Metabolism, organism-specific

 $biosystem; \ \textbf{IL23-mediated signaling events}, \ organism-specific \ biosystem; \ \textbf{Phagosome}, \ organism-specific \ \textbf{Phagosome}, \$ 

biosystem; Phagosome, conserved biosystem; Selenium Pathway, organism-specific biosystem;

Transcriptional misregulation in cancer, organism-specific biosystem

Function chromatin binding; heme binding; heparin binding; metal ion binding; oxidoreductase activity;

peroxidase activity

Unit One unit of Myeloperoxidase will catalyze the consumption of one micromole of hydrogen peroxide and

the production of 1/4 micromole of tetraguaiacol per minute at pH 7.0 and 25°C.

## Storage and Shipping Information

**Storage** 2-8°C

Definition

**Tel:** 1-631-562-8517 1-516-512-3133 **Email:** info@creative-enzymes.com 1/1