

Cellulase 6A from Podospora anserina, Recombinant

Cat. No. NATE-1355

Lot. No. (See product label)

Introduction

Description	Cellulase is any of several enzymes produced chiefly by fungi, bacteria, and protozoans that catalyze cellulolysis, the decomposition of cellulose and of some related polysaccharides; specifically, the
	hydrolysis of the 1,4-beta-D-glycosidic linkages in cellulose, hemicellulose, lichenin, and cereal beta-D-
	glucans. Cellulases break down the cellulose molecule into monosaccharides ("simple sugars") such as
	beta-glucose, or shorter polysaccharides and oligosaccharides. The name is also used for any naturally
	occurring mixture or complex of various such enzymes, that act serially or synergistically to
	decompose cellulosic material.

SynonymsCellulase, thermostable; 1,4-(1,3:1,4)-β-D-Glucan 4-glucano-hydrolase; EC 3.2.1.4; Cellulase; endo-1,4-
β-D-glucanase; β-1,4-glucanase; β-1,4-endoglucan hydrolase; cellulase A; cellulosin AP; endoglucanase
D; alkali cellulase; cellulase A 3; celludextrinase; 9.5 cellulase; avicelase; pancellase SS

Product Information

Species	Podospora anserina
Source	E. coli
Form	35 mM NaHepes buffer, pH 7.5, 750 mM NaCl, 200 mM imidazol, 3.5 mM CaCl2, 0.02% sodium azide and 25% (v/v) glycerol
EC Number	EC 3.2.1.4
CAS No.	9012-54-8
Molecular Weight	42 kDa
Purity	>90% by SDS-PAGE
Concentration	0.5 mg/mL
Optimum pH	5.0-9.0
Optimum temperature	40 °C
Specificity	Barley 1,3-1,4- β -glucan, glucomannan, avicel and carboxymethylcellulose
Charge and Chinging Information	

Storage and Shipping Information

Storage This enzyme is shipped at room temperature but should be stored at -20 °C.