

Native Microorganism Glucose-6-phosphate Dehydrogenase

Cat. No. DIA-145

Lot. No. (See product label)

Introduction

Description Glucose-6-phosphate dehydrogenase (G6PD or G6PDH) (EC 1.1.1.49) is a cytosolic enzyme that

catalyzes the chemical reaction:D-glucose 6-phosphate + NADP $+ \leftrightarrow$ 6-phospho-D-glucono-1,5-lactone + NADPH + H+. This enzyme is in the pentose phosphate pathway, a metabolic pathway that supplies reducing energy to cells (such as erythrocytes) by maintaining the level of the co-enzyme nicotinamide

adenine dinucleotide phosphate (NADPH).

Applications The enzyme is useful for enzymatic determination of NAD+(NADP+) and G-6-P, and activities of

phosphoglucose isomerase, phosphoglucomutase and hexokinase. The enzyme is also used for enzymatic determination of glucose and creatine phosphokinase activity when coupled with

hexokinase.

Synonyms Glucose-6-phosphate dehydrogenase; G6PD; G6PDH; Glucose-6-phosphate dehydrogenase (NADP(+));

EC 1.1.1.49; Glucose-6-phosphate 1-dehydrogenase; Glucose-6-phosphate dehydrogenase; GPD

Product Information

Source Microorganism

Appearance White amorphous powder, lyophilized

Form Freeze dried powder

EC Number EC 1.1.1.49

CAS No. 9001-40-5

Molecular Weight approx. 140 kDa (by gel filtration)

Activity

GradeIII 200U/mg-solid or more

Contaminants

Creatine phosphokinase $< 1 \times 10^{-3}\%$ Phosphoglucomutase $< 1 \times 10^{-3}\%$ 6-Phosphogluconate dehydrogenase $< 5 \times 10^{-3}\%$ Phosphoglucose isomerase $< 1 \times 10^{-2}\%$ Glutathione reductase $< 1 \times 10^{-3}\%$

Hexokinase $< 1 \times 10^{-2}\%$ Myokinase $< 1 \times 10^{-2}\%$ NADH oxidase $< 1 \times 10^{-2}\%$ NADPH oxidase $< 1 \times 10^{-2}\%$

pH Stability

pH 5.0-11.0 (25°C, 22hr)

Optimum pH

7.8

Thermal

below 50°C (pH 7.8, 30min)

stability

Optimum

50°C-55°C

temperature

Michaelis

NAD+ linked 2.4×10-4M (NAD+), 4.7×10-4M (G-6-P), NADP+ linked 7.4×10-6M (NADP+), 3.2×10-4M (G-6-P), NADP+ linked 7.4×10-6M (NADP+), 3.2×10-6M (G-6-P), NADP+ linked 7.4×10-6M (NADP+), 3.2×10-6M (G-6-P), NADP+ linked 7.4×10-6M (NADP+), 3.2×10-6M (G-6-P), NADP+ linked 7.4×10-6M (G-6-P), NADP+ linked 7.4×10-6M

Constant

P)

Inhibitors Metal ions, iodoacetamimide, SDS etc.

Storage and Shipping Information

Stability Stable at-20°C for at least one year

Tel: 1-631-562-8517 1-516-512-3133 **Email:** info@creative-enzymes.com 1/2