

Native Aspergillus niger β-Glucanase

Cat. No. NATE-0766

Lot. No. (See product label)

Introduction

Description β-glucanases degrade β-1,4-glucans of cellulose, xyloglucan and β-1,4-xylan. β-Glucanase represents a

group of carbohydrate enzymes which break down glycosidic bonds within beta-glucan. It forms the main constituent of fungal cell walls and could be a potential structural and storage polysaccharide of marine macro-algae. It has the ability to degrade fungal cell walls and may be involved in defense mechanism of

plants against pathogenic fungi.

 $\textbf{\textit{Synonyms}} \qquad \text{endo-1,3-β-D-glucanase; laminarinase; laminaranase; β-1,3-glucanase; β-1,3-1,4-glucanase; endo-1,3-β-1,3-glucanase; endo-1,3-glucanase; endo-1,3-glucanase; endo-1,3-glucanase; endo-1,3-glucanase; endo-1,3-glucanase; endo-1,3-glucanase; endo-1,3-glucanas$

glucanase; endo- β -1,3 (4)-glucanase; endo- β -1,3-1,4-glucanase; endo- β -(1 \rightarrow 3)-D-glucanase; endo-1,3-1,4- β -D-glucanase; endo- β -(1-3)-D-glucanase; endo- β -1,3-glucanase; lV; endo-1,3- β -D-glucanase; 1,3-(1,3;

1,4)-β-D-glucan 3 (4)-glucanohydrolase; EC 3.2.1.6; 9074-98-0

Product Information

Source Aspergillus niger

Form powder.

EC Number EC 3.2.1.6

CAS No. 9074-98-0

Activity ~1 units/mg

Unit One unit corresponds to the amount of enzyme which will release 1 μmole of reducing sugar equivalents

Definition (expressed as glucose) per minute at pH 5.0 and 55°C, using β-D-glucan as substrate

Storage and Shipping Information

Storage 2-8°C

Tel: 1-631-562-8517 1-516-512-3133 **Email:** info@creative-enzymes.com

1/1