

2'-hydroxydaidzein reductase

Cat. No. EXWM-1323

Lot. No. (See product label)

Introduction

Description In the reverse reaction, the 2'-hydroxyisoflavone (2'-hydroxydaidzein) is reduced to an isoflavanone. Also

acts on 2'-hydroxyformononetin and to a small extent on 2'-hydroxygenistein. Involved in the biosynthesis of the phytoalexin glyceollin. The isoflavones biochanin A, daidzein and genestein as well as the flavonoids

apigenin, kaempferol and quercetin do not act as substrates.

Synonyms NADPH:2'-hydroxydaidzein oxidoreductase; HDR; 2'-hydroxydihydrodaidzein:NADP+ 2'-oxidoreductase

Product Information

Form Liquid or lyophilized powder

EC Number EC 1.3.1.51

CAS No. 126125-01-7

Reaction 2'-hydroxy-2,3-dihydrodaidzein + NADP+ = 2'-hydroxydaidzein + NADPH + H+

Notes This item requires custom production and lead time is between 5-9 weeks. We can custom produce

according to your specifications.

Storage and Shipping Information

Store it at +4 °C for short term. For long term storage, store it at -20 °C∼-80 °C.

Tel: 1-631-562-8517 1-516-512-3133 **Email:** info@creative-enzymes.com

1/1