

methanol-corrinoid protein Co-methyltransferase

Cat. No. EXWM-1992

Lot. No. (See product label)

Introduction

Description The enzyme, which catalyses the transfer of methyl groups from methanol to a methanol-specific corrinoid protein (MtaC), is involved in methanogenesis from methanol. Methylation of the corrinoid protein requires the central cobalt to be in the Co(I) state. During methylation the cobalt is oxidized to the Co(III) state. Free cob(I)alamin can substitute for the corrinoid protein in vitro. Inactivated by oxygen and other oxidizing agents, and reactivated by catalytic amounts of ATP and hydrogen.

Synonyms methanol cobalamin methyltransferase; methanol:5-hydroxybenzimidazolylcobamide methyltransferase; MT 1 (ambiguous); methanol-5-hydroxybenzimidazolylcobamide Co-methyltransferase; mtaB (gene name)

Product Information

Form Liquid or lyophilized powder

EC Number EC 2.1.1.90

CAS No. 86611-98-5

Reaction methanol + a [Co(I) methanol-specific corrinoid protein] = a [methyl-Co(III) methanol-specific corrinoid protein] + H₂O

Notes This item requires custom production and lead time is between 5-9 weeks. We can custom produce according to your specifications.

Storage and Shipping Information

Storage Store it at +4 °C for short term. For long term storage, store it at -20 °C~-80 °C.