

## β-1,3-galactosyl-O-glycosyl-glycoprotein β-1,3-N-acetylglucosaminyltransferase

Cat. No. EXWM-2372

Lot. No. (See product label)

### Introduction

**Description** cf. EC 2.4.1.102 (β-1,3-galactosyl-O-glycosyl-glycoprotein β-1,6-N-acetylglucosaminyltransferase), EC 2.4.1.147 (acetylglucosaminyl-O-glycosyl-glycoprotein β-1,3-N-acetylglucosaminyltransferase) and EC 2.4.1.148 (acetylglucosaminyl-O-glycosyl-glycoprotein β-1,6-N-acetylglucosaminyltransferase).

**Synonyms** O-glycosyl-oligosaccharide-glycoprotein N-acetylglucosaminyltransferase II; uridine diphosphoacetylglucosamine-mucin β(1→3)-acetylglucosaminyltransferase (elongating); elongation 3β-GalNAc-transferase; UDP-N-acetyl-D-glucosamine:O-glycosyl-glycoprotein (N-acetyl-D-glucosamine to β-D-galactose of β-D-galactosyl-1,3-(N-acetyl-D-glucosaminyl-1,6)-N-acetyl-D-galactosaminyl-R) β-1,3-N-acetyl-D-glucosaminyltransferase

### Product Information

**Form** Liquid or lyophilized powder

**EC Number** EC 2.4.1.146

**CAS No.** 87927-99-9

**Reaction** UDP-N-acetyl-D-glucosamine + β-D-galactosyl-(1→3)-[N-acetyl-D-glucosaminyl-(1→6)]-N-acetyl-D-galactosaminyl-R = UDP + N-acetyl-β-D-glucosaminyl-(1→3)-β-D-galactosyl-(1→3)-[N-acetyl-β-D-glucosaminyl-(1→6)]-N-acetyl-D-galactosaminyl-R

**Notes** This item requires custom production and lead time is between 5-9 weeks. We can custom produce according to your specifications.

### Storage and Shipping Information

**Storage** Store it at +4 °C for short term. For long term storage, store it at -20 °C~-80 °C.