

hydroxymethylbilane synthase

Cat. No. EXWM-2799

Lot. No. (See product label)

Introduction

Description The enzyme works by stepwise addition of pyrrolylmethyl groups until a hexapyrrole is present at the active centre. The terminal tetrapyrrole is then hydrolysed to yield the product, leaving a cysteine-bound dipyrrole on which assembly continues. In the presence of a second enzyme, EC 4.2.1.75 uroporphyrinogen-III synthase, which is often called cosynthase, the product is cyclized to form uroporphyrinogen-III. If EC 4.2.1.75 is absent, the hydroxymethylbilane cyclizes spontaneously to form uroporphyrinogen I.

Synonyms HMB-synthase; porphobilinogen deaminase; pre-uroporphyrinogen synthase; uroporphyrinogen I synthase; uroporphyrinogen I synthetase; uroporphyrinogen synthase; uroporphyrinogen synthetase; porphobilinogen ammonia-lyase (polymerizing); (4-[2-carboxyethyl]-3-[carboxymethyl]pyrrol-2-yl)methyltransferase (hydrolysing)

Product Information

Form Liquid or lyophilized powder

EC Number EC 2.5.1.61

CAS No. 9074-91-3

Reaction 4 porphobilinogen + H₂O = hydroxymethylbilane + 4 NH₃

Notes This item requires custom production and lead time is between 5-9 weeks. We can custom produce according to your specifications.

Storage and Shipping Information

Storage Store it at +4 °C for short term. For long term storage, store it at -20 °C~-80 °C.