

[3-methyl-2-oxobutanoate dehydrogenase (acetyltransferring)] kinase

Cat. No. EXWM-3155 Lot. No. (See product label)

| Introduction | |
|----------------------------------|---|
| Description | The enzyme has no activating compound but is specific for its substrate. It is a mitochondrial enzyme associated with the branched-chain 2-oxoacid dehydrogenase complex. Phosphorylation inactivates EC 1.2.4.4, 3-methyl-2-oxobutanoate dehydrogenase (2-methylpropanoyl-transferring). |
| Synonyms | BCK; BCKD kinase; BCODH kinase; branched-chain α-ketoacid dehydrogenase kinase; branched-chain 2-oxo acid dehydrogenase kinase; branched-chain keto acid dehydrogenase kinase; branched-chain oxo acid dehydrogenase kinase (phosphorylating); STK2 |
| Product Information | |
| Form | Liquid or lyophilized powder |
| EC Number | EC 2.7.11.4 |
| CAS No. | 82391-38-6 |
| Reaction | ATP + [3-methyl-2-oxobutanoate dehydrogenase (acetyl-transferring)] = ADP + [3- methyl-2-oxobutanoate dehydrogenase (acetyl-transferring)] phosphate |
| Notes | This item requires custom production and lead time is between 5-9 weeks. We can custom produce according to your specifications. |
| Storage and Shipping Information | |
| Chargene | Change it at a 4.00 for all out house. For large house at any store it at 20.00 - 00.00 |

Storage

Store it at +4 °C for short term. For long term storage, store it at -20 °C~-80 °C.