

phosphoglucan, water dikinase

Cat. No. EXWM-3352

Lot. No. (See product label)

Introduction

Description The enzyme phosphorylates granular starch that has previously been phosphorylated by EC 2.7.9.4, α-

glucan, water dikinase; there is no activity with unphosphorylated glucans. It transfers the β -phosphate of ATP to the phosphoglucan, whereas the γ -phosphate is transferred to water. In contrast to EC 2.7.9.4, which phosphorylates glucose groups in glucans on O-6, this enzyme phosphorylates glucose groups in phosphorylated starch on O-3. The protein phosphorylates itself with the β -phosphate of ATP, which is then

transferred to the glucan.

Synonyms PWD; OK1

Product Information

Form Liquid or lyophilized powder

EC Number EC 2.7.9.5

CAS No. 912567-76-1

Reaction ATP + [phospho- α -glucan] + H2O = AMP + O-phospho-[phospho- α -glucan] + phosphate

Notes This item requires custom production and lead time is between 5-9 weeks. We can custom produce

according to your specifications.

Storage and Shipping Information

Store it at +4 °C for short term. For long term storage, store it at -20 °C~-80 °C.

Tel: 1-631-562-8517 1-516-512-3133 **Email:** info@creative-enzymes.com

1/1