

Native Cabbage Phospholipase D

Cat. No. NATE-0595

Lot. No. (See product label)

Introduction

Description

Phospholipase D is a phospholipid hydrolyzing enzyme and an important component of receptor-mediated signal transduction responses and regulated secretion. Hydrolyzes the phosphate bonds of phospholipids and sphingomyelin to give the corresponding phosphatidic acid. Phospholipase D is involved in conferring drought susceptibility in peanuts, which increases the risk of aflatoxin contamination.

Applications

Phospholipase D (PLD) is used to hydrolyze the phosphate bonds of phospholipids and sphingomyelin to give the corresponding phosphatidic acid. It has also been used to study metabolic labeling and direct imaging of choline phospholipids in vivo by measuring propargyl-Cho incorporation. Furthermore, PLD is used in purification and kinetic studies. The enzyme has been used for the preparation of Bodipy-phosphatidylcholine during the preparation of fluorescently labelled lipids.

Synonyms

Phospholipase D; EC 3.1.4.4; lipophosphodiesterase II; lecithinase D; choline phosphatase; PLD; 9001-87-0

Product Information

Source

Cabbage

Form

lyophilized powder

EC Number

EC 3.1.4.4

CAS No.

9001-87-0

Activity

> 100 units/mg solid

Unit Definition

One unit will liberate 1.0 μ mol of choline from L- α -phosphatidylcholine (egg yolk) per hr at pH 5.6 at 30°C.

Storage and Shipping Information

Storage

-20°C