

ginsenosidase type III

Cat. No. EXWM-3875 Lot. No. (See product label)

Introduction	
Description	Ginsenosidase type III catalyses the sequential hydrolysis of the 3-O- β -D-(1 \rightarrow 2)- glucopyranosyl bond followed by hydrolysis of the 3-O- β -D-glucopyranosyl bond of protopanaxadiol ginsenosides. When acting for example on ginsenoside Rb1 the enzyme first generates ginsenoside XVII, and subsequently ginsenoside LXXV.
Product Information	
Form	Liquid or lyophilized powder
EC Number	EC 3.2.1.191
Reaction	a protopanaxadiol-type ginsenoside with two glucosyl residues at position $3 + 2$ H2O = a protopanaxadiol-type ginsenoside with no glycosidic modification at position $3 + 2$ D-glucopyranose (overall reaction); (1a) a protopanaxadiol-type ginsenoside with two glucosyl residues at position $3 +$ H2O a protopanaxadiol-type ginsenoside with one glucosyl residue at position $3 +$ D-glucopyranose; (1b) a protopanaxadiol-type ginsenoside with one glucosyl residue at position $3 +$ H2O = a protopanaxadiol-type ginsenoside with no glycosidic modification at position $3 +$ D-glucopyranose
Notes	This item requires custom production and lead time is between 5-9 weeks. We can custom produce according to your specifications.
Storage and Shipping Information	

Storage

Store it at +4 °C for short term. For long term storage, store it at -20 °C~-80 °C.