

## chondroitin-sulfate-ABC exolyase

Cat. No. EXWM-5097

Lot. No. (See product label)

### Introduction

**Description** This enzyme degrades a variety of glycosaminoglycans of the chondroitin-sulfate- and dermatan-sulfate type. Chondroitin sulfate, chondroitin-sulfate proteoglycan and dermatan sulfate are the best substrates but the enzyme can also act on hyaluronan at a much lower rate. Keratan sulfate, heparan sulfate and heparin are not substrates. The related enzyme EC 4.2.2.20, chondroitin-sulfate-ABC endolyase, has the same substrate specificity but produces a mixture of oligosaccharides of different sizes that are ultimately degraded to tetra- and disaccharides. Both enzymes act by the removal of a relatively acidic C-5 proton of the uronic acid followed by the elimination of a 4-linked hexosamine, resulting in the formation of an unsaturated C4-C5 bond on the hexuronic acid moiety of the products.

**Synonyms** chondroitinase (ambiguous); chondroitin ABC eliminase (ambiguous); chondroitinase ABC (ambiguous); chondroitin ABC lyase (ambiguous); chondroitin sulfate ABC lyase (ambiguous); ChS ABC lyase (ambiguous); chondroitin sulfate ABC exoeliminase; chondroitin sulfate ABC exolyase; ChS ABC lyase II

### Product Information

**Form** Liquid or lyophilized powder

**EC Number** EC 4.2.2.21

**CAS No.** 1000607-06-6

**Reaction** Exolytic removal of  $\Delta 4$ -unsaturated disaccharide residues from the non-reducing ends of both polymeric chondroitin/dermatan sulfates and their oligosaccharide fragments.

**Notes** This item requires custom production and lead time is between 5-9 weeks. We can custom produce according to your specifications.

### Storage and Shipping Information

**Storage** Store it at +4 °C for short term. For long term storage, store it at -20 °C~-80 °C.