

1,8-cineole synthase

Cat. No. EXWM-5119

Lot. No. (See product label)

Introduction

Description Requires Mn2+ or Zn2+. Mg2+ is less effective than either. 1,8-Cineole is the main product from the

enzyme with just traces of other monoterpenoids. The oxygen atom is derived from water. The reaction proceeds via linally diphosphate and α -terpineol, the stereochemistry of both depends on the organism. However neither intermediate can substitute for geranyl diphosphate. The reaction in Salvia officinalis (sage) proceeds via (-)-(3R)-linallyl diphosphate while that in Arabidopsis (rock cress) proceeds via (+)-

(3S)-linalyl diphosphate.

Synonyms 1,8-cineole cyclase; geranyl pyrophoshate:1,8-cineole cyclase; 1,8-cineole synthetase

Product Information

Form Liquid or lyophilized powder

EC Number EC 4.2.3.108

CAS No. 110637-19-9

Reaction geranyl diphosphate + H2O = 1,8-cineole + diphosphate

Notes This item requires custom production and lead time is between 5-9 weeks. We can custom produce

according to your specifications.

Storage and Shipping Information

Store it at +4 °C for short term. For long term storage, store it at -20 °C~-80 °C.

Tel: 1-631-562-8517 1-516-512-3133 **Email:** info@creative-enzymes.com

1/1