

Transglutaminase from Mouse, Recombinant

Cat. No. NATE-1727

Lot. No. (See product label)

Introduction

Description This enzyme belongs to the family of transferases, specifically those transferring phosphorus-containing

groups (phosphotransferases) with a phosphate group as acceptor.

Applications Recombinant mouse transglutaminase is a homodimer (a2) composed of two chains held together by

non covalent bonds. After activation of the zymogen by Thrombin and Ca2+ to its active form (a*2, Factor XIIIa), Factor XIIIa catalyzes the formation of covalent bridges (ϵ -(γ -glutamyI) lysine bonds) between fibrin units to increase the elasticity of the clot network. The resulting cross-linked fibrin is

insoluble and resistant to lysis.

Synonyms transglutaminase; EC 2.3.2.13; 80146-85-6; transglutaminase; Factor XIIIa; fibrinoligase; fibrin stabilizing

factor; glutaminylpeptide γ -glutamyltransferase; polyamine transglutaminase; tissue transglutaminase; R-glutaminyl-peptide:amine γ -glutamyl transferase; protein-glutamine γ -glutamyltransferase; TG1

Product Information

Species Mouse

Source Insect cells

Appearance Liquid

Form The transglutaminase is formulated in 10 mM Sodium Phosphate pH 8.0, 15 mM NaCl. Sample contains

50% glycerol. Biotinylated-transglutaminase is a Ca2+-dependent enzyme.

EC Number EC 2.3.2.13

CAS No. 80146-85-6

Molecular

83 kDa

Weight

Purity > 95% (visually by SDS-PAGE)

Activity > 750 U/mg [Activity is determined by measuring the rate of fluorescence enhancement after

transglutaminase-catalyzed monodansylcadaverine-incorporation into N,N-dimethylated casein according

to Lorand et al., Anal. Biochem. 44 (221-231)].

Activators Add Thrombin and 10 mM Ca2+ to activate Transglutaminase.

Unit 1 U is defined as the increase in fluorescence intensity of 1 a.u./min (measured on a Cary eclipse

Definition fluorescence spectrophotometer, Varian; $\lambda ex = 332$ nm, $\lambda em = 500$ nm; band filter = 5 nm; detector

strength = 600 V; temperature = 37 °C, assay volume = 1 ml).

Usage and Packaging

Package 50 μg

Storage and Shipping Information

Storage Store working aliquots at \leq - 20°C. Avoid repeated freezing and thawing.

Tel: 1-631-562-8517 1-516-512-3133 **Email:** info@creative-enzymes.com 1/1