

Native Almond α (1-3,4) Fucosidase

Cat. No. NATE-0260

Lot. No. (See product label)

Introduction

Description Tissue alpha-L-fucosidase is an enzyme that in humans is encoded by the FUCA1

gene. Alpha-Fucosidase is an enzyme that breaks down fucose. Fucosidosis is an autosomal recessive lysosomal storage disease caused by defective alpha-L-

fucosidase with accumulation of fucose in the tissues. Different phenotypes include clinical features such as neurologic deterioration, growth retardation,

visceromegaly, and seizures in a severe early form; coarse facial features, angiokeratoma corporis diffusum, spasticity and delayed psychomotor

development in a longer surviving form; and an unusual

spondylometaphyseoepiphyseal dysplasia in yet another form.

Synonyms α (1-3,4) Fucosidase; alpha-L-fucosidase; Alpha-Fucosidase; FUCA1; FUCA

Product Information

Species Almond

Source Almond meal

Form Lyophilized from 50 mM sodium acetate, 3 mg/ml bovine serum albumin (pH 5.0).

Molecular Weight 111.5 kD

Purity No protease activity was detectable after incubation of the enzyme with 0.4%

Resorufin-labeled Casein for 18-24 hours at 37°C. Assays for exoglycosidase contaminants consist of extended incubations with the appropriate substrates. Lot-

specific results are reported on the Certificate of Analysis.

Activity >1.5 U/mg

Optimum pH pH 5.0

Specificity The enzyme cleaves non-reducing α (1-3 or 1-4)-linked terminal fucose residues.

Buffer WS0062 5x Reaction Buffer (250 mM sodium acetate, pH 5.0)

Storage and Shipping Information

Storage Shipped on ice pack for next day delivery. Store at -20°C. Store lyophilized enzyme

at-20 $^{\circ}$ C. Enzyme reconstituted with the provided reaction buffer is stable at 2-8 $^{\circ}$ C for at least two months and may be stored at-20 $^{\circ}$ C for at least six months. Avoid

repeated freeze/thaw cycles.

Stability After reconstitution with the incubation buffer supplied with the enzyme, >85% of

the original activity is observed after two months at 2-8°C. In the buffer solution at

37°C, the half-life is approximately 80 hours.

Tel: 1-631-562-8517 1-516-512-3133 **Email:** info@creative-enzymes.com 1/1