

## **Native Zymomonas mobilis Glucokinase**

Cat. No. NATE-1903

Lot. No. (See product label)

## Introduction

**Description** Glucokinase (EC 2.7.1.2) is an enzyme that facilitates phosphorylation of glucose to

glucose-6-phosphate. Glucokinase occurs in cells in the liver, pancreas, gut, and brain of humans and most other vertebrates. In each of these organs it plays an important role in the regulation of carbohydrate metabolism by acting as a glucose sensor, triggering shifts in metabolism or cell function in response to rising or falling levels of glucose, such as occur after a meal or when fasting. Mutations of the gene for this enzyme can cause unusual forms of diabetes or hypoglycemia.

Applications The enzyme is useful for diagnostic reagent, for example, glucose determination or

CK determination, and for the specific determination of glucose. Tris-HCl buffer is

not suitable for the practical use of ZM-GCK

**Synonyms** EC 2.7.1.2; glucokinase; glucokinase (phosphorylating); 9001-36-9; GCK; FGQTL3;

GK; GLK; HHF3; HK4; HKIV; HXKP; LGLK; MODY2

## **Product Information**

**Source** Zymomonas mobilis

**Appearance** Lyophilized

**EC Number** EC 2.7.1.2

**CAS No.** 9001-36-9

**Molecular Weight** ca. 66,000; Subunit molecular weight: ca. 33,000.

**Specific Activity** more than 150 U/mg protein

**Contaminants** (as ZM-GCK activity = 100 %) Glucose-6-phosphate dehydrogenase: < 0.02 %;

Phosphoglucomutase: < 0.01 %; 6-Phosphogluconate dehydrogenase: < 0.01 %; Hexose-6-phosphate isomerase: < 0.01 %; Glutathione reductase: < 0.01 %.

**pH Stability** 6.0 - 8.0

**Optimum pH** 7.0 - 8.0

**Thermal stability** No detectable decrease in activity up to 40 °C.

Michaelis Constant (60mM Phosphate buffer, pH 7.0, at 30 °C) Glucose: 0.10 mM; ATP: 0.65 mM.

Unit Definition One unit of activity is defined as the amount of ZM-GlcK that forms 1 µmol of

glucose 6-phosphate per minute at 30 °C.

**Reaction** ATP + D-Glucose ←→ ADP + D-Glucose 6-phosphate

## Storage and Shipping Information

**Storage** Stable at -20 °C for at least one year.

**Tel:** 1-631-562-8517 1-516-512-3133 **Email:** info@creative-enzymes.com 1/1