

β-1,3-Glucanase from Clostridium thermocellum, Recombinant

Cat. No. NATE-1180

Lot. No. (See product label)

Introduction

Description

Glucan endo-1,3-beta-D-glucosidase is an enzyme with system name 3-beta-D-glucan glucanohydrolase. This enzyme catalyses the following chemical reaction: Hydrolysis of (1->3)-beta-D-glucosidic linkages in (1->3)-beta-D-glucans. This enzyme is marginally active on mixed-link (1->3,1->4)-beta-D-glucans.

Synonyms

endo-1,3-β-glucanase; laminarinase; laminaranase; oligo-1,3-glucosidase; endo-1,3-β-glucanase; callase; β-1,3-glucanase; kitalase; 1,3-β-D-glucan 3-glucanohydrolase; endo-(1,3)-β-D-glucanase; (1→3)-β-glucan 3-glucanohydrolase; endo-1,3-β-D-glucanase; endo-1,3-β-glucosidase; 1,3-β-D-glucan glucanohydrolase; EC 3.2.1.39; 9044-93-3

Product Information

Source

Clostridium thermocellum ATCC 27405

Form

Supplied in 35 mM HEPES buffer, pH 7.8, containing 750 mM NaCl, 5 mM imidazole, 2.5 mM CaCl₂, 0.02 % (w/v) sodium azide and 25 % (v/v) glycerol.

EC Number

EC 3.2.1.39

CAS No.

9025-37-0

Molecular Weight

82262.8 Da

Purity

> 95 % as judged by SDS-PAGE

Activity

1500 U/mg

Concentration

4500 U/ml

Optimum pH

6

Optimum temperature

65°C

Unit Definition

One unit is defined as the amount of enzyme required to release 1 μmol of glucose-reducing-sugar equivalents per minute from laminarin in 50 mM phosphate buffer, pH 6.0, at 60°C.

Storage and Shipping Information

Storage

Store at -20°C (shipped at room temperature)