

Native *Aspergillus japonicus* Pectolyase

Cat. No. NATE-0540

Lot. No. (See product label)

Introduction

Description	Pectolyase catalyzes the eliminative cleavage of α -(1-4)-Dgalacturonan methyl ester to give oligosaccharides with 4-deoxy-6-O-methyl- α -D-galact-4-enuronosyl groups at their non-reducing ends. It contain two types of pectinase, endopolygalacturonase, endo-pectin lyase and a maceration stimulating factor.
Applications	Used in plant protoplast preparation to digest cell wall prior to organelle isolation. Pectolyase P5936 (Pel1) is a natural mixed pectolyase produced by the fungus <i>Aspergillus japonicus</i> used to digest components (endopolygalacturonate and pectin) of plant cell walls. Treatment of cell walls with pectolyase can be used to destabilize the cell walls for organelle isolation or to modify the elasticity of the cell walls.
Synonyms	polygalacturonase; pectin depolymerase; pectinase; endopolygalacturonase; pectolase; pectin hydrolase; pectin polygalacturonase; endo-polygalacturonase; poly- α -1,4-galacturonide glycanohydrolase; endogalacturonase; endo-D-galacturonase; poly (1,4- α -D-galacturonide) glycanohydrolase; EC 3.2.1.15; PEL1

Product Information

Source	<i>Aspergillus japonicus</i>
Form	lyophilized powder
EC Number	EC 3.2.1.15
CAS No.	9033-35-6
Activity	> 0.3 units/mg solid
Unit Definition	One unit will liberate 1.0 μ mole of galacturonic acid from polygalacturonic acid per min at pH 5.5 at 25°C.

Storage and Shipping Information

Storage	-20°C
----------------	-------